ORIGINAL

U.S. DEPARTMENT OF HOMELAND SECURITY
U.S. COAST GUARD
CG-2554 (Rev. 09-05)

PRIVATE AIDS TO NAVIGATION APPLICATION

(See attached instructions and copy of Code of Fed. Reg., Title 33, Chap. 1, Part 66)

Form Approved
OMB-1625-0011

NO PRIVATE AID TO NAVIGATION MAY BE AUTHORIZED UNLESS A COMPLETED APPLICATION FORM HAS BEEN RECEIVED (14 U.S.C. 83; 33 C.F.R. 66.01-5)

1. ACTION REQUESTED FOR PRIVATE AIDS TO NAVIGATION: A. [X] ESTABLISH AND MAINTAIN B. [ ] DISCONTINUE C. [ ] CHANGE D. [ ] TRANSFER OWNERSHIP

2. DATE ACTION TO START: 2/1/2013

3. AIDS WILL BE OPERATED: A. [X] THROUGHOUT THE YEAR B. [ ] TEMPORARILY UNTIL _____ C. [ ] ANNUALLY _____ TO _____

4. NECESSITY FOR AID *(Continue in Block 8)*: GIWW Bank Restoration (TE-43)

5. GENERAL LOCALITY: GIWW MM 75

6. CORPS OF ENGINEERS AUTHORIZED THIS STRUCTURE OR BUOY BY [X] PERMIT OR [ ] LETTER *(file and date)* MVN-2004-4534-CY

FOR DISTRICT COMMANDERS ONLY — 7. APPLICANT WILL FILL IN APPLICABLE REMAINING COLUMNS

LIGHT LIST NUMBER OR PAGE	NAME OF AID	NO. OR LTR. (7a)	LIGHT PER. (7b)	LIGHT FLASH LGTH. (7c)	LIGHT COLOR (7d)	POSITION (7e)	DEPTH OF WATER (7f)	CANDLE POWER (7g)	HT. ABOVE WATER (7h)	STRUCTURE TYPE, COLOR, AND HEIGHT ABOVE GROUND (7i)	REMARKS *(See Instructions)* (7j)
35013	Lafourche-Terrebonne Soil & Water Conservation District Danger Light					See attached drawings for position and water bottom elevation.			7ft	Temporary signs will be marine grade plywood on a timber pile or other approved support. Perm signs will be aluminum on a timber pile. Top of all piles will be +10.0'	Temporary warning signs will be removed after construction. Three permanent signs will have 2.5s white flashing light. Temp. and perm. signs will have black letters and reflective orange border.
35013.01	Lafourche-Terrebonne Soil & Water Conservation District Danger Light								7ft		
35013.02	Lafourche-Terrebonne Soil & Water Conservation District Danger Light								7ft		

APPROVED

8. ADDITIONAL COMMENTS

Ten lighted white and orange danger buoys will be located at the locations shown. All details necessary to convey placement, location, and details or temporary and permanent signs and buoys are shown on the attached drawings.

9a. NAME AND ADDRESS OF PERSON IN DIRECT CHARGE OF AID
USDA-NRCS
3737 Government St, Alexandria, LA

9b. TELEPHONE NO. (318) 473-7751

10a. NAME AND ADDRESS OF PERSON OR CORPORATION AT WHOSE EXPENSE
Lafourche/Terrebonne Soil & Water Cons. Dist.
204 East Bayou Road
Thibodaux, LA 70301

10b. THE APPLICANT AGREES TO SAVE THE COAST GUARD HARMLESS WITH RESPECT TO ANY CLAIM OR CLAIMS THAT MAY RESULT ARISING FROM THE ALLEGED NEGLIGENCE OF THE MAINTENANCE OR OPERATION OF THE APPROVED AID(S).

10c. DATE: 11/29/12

10d. SIGNATURE AND TITLE OF OFFICIAL SIGNING: Jean Fuller, P.E. - Design Engineer

FOR USE BY DISTRICT COMMANDER

SERIAL NO.	CLASSIFICATION OF AIDS			
	I	RECD.		
		CHART	11355	
		L. N. M.	50/12	

DATE APPROVED: 12/11/12

SIGNATURE (By direction): [signature] for

JOE W. VAWTERS, CHIEF
(PRIVATE AIDS SECTION)

PREVIOUS EDITIONS ARE OBSOLETE

ORIGINAL

U.S. DEPARTMENT OF HOMELAND SECURITY
U.S. COAST GUARD
CG-2554 (Rev. 09-05)

PRIVATE AIDS TO NAVIGATION APPLICATION

(See attached instructions and copy of Code of Fed. Reg., Title 33, Chap. 1, Part 66)

Form Approved
OMB-1625-0011

NO PRIVATE AID TO NAVIGATION MAY BE AUTHORIZED UNLESS A COMPLETED APPLICATION FORM HAS BEEN RECEIVED (14 U.S.C. 83; 33 C.F.R. 66.01-5)

1. ACTION REQUESTED FOR PRIVATE AIDS TO NAVIGATION: A. [X] ESTABLISH AND MAINTAIN B. [ ] DISCONTINUE C. [ ] CHANGE D. [ ] TRANSFER OWNERSHIP

2. DATE ACTION TO START: 2/1/2013

3. AIDS WILL BE OPERATED: A. [X] THROUGHOUT THE YEAR B. [ ] TEMPORARILY UNTIL _____ C. [ ] ANNUALLY _____ TO _____

4. NECESSITY FOR AID *(Continue in Block 8)*: GIWW Bank Restoration (TE-43)

5. GENERAL LOCALITY: GIWW MM 75

6. CORPS OF ENGINEERS AUTHORIZED THIS STRUCTURE OR BUOY BY: [X] PERMIT OR [ ] LETTER *(file and date)* MVN-2004-4534-CY

FOR DISTRICT COMMANDERS ONLY — 7. APPLICANT WILL FILL IN APPLICABLE REMAINING COLUMNS

LIGHT LIST NUMBER OR PAGE	NAME OF AID	NO. OR LTR. (7a)	LIGHT PER. (7b)	LIGHT FLASH LGTH. (7c)	LIGHT COLOR (7d)	POSITION (7e)	DEPTH OF WATER (7f)	CAN-DLE POWER (7g)	HT. ABOVE WATER (7h)	STRUCTURE TYPE, COLOR, AND HEIGHT ABOVE GROUND (7i)	REMARKS *(See instructions)* (7j)
35013.03	Lafourche-Terrebonne Soil & Water Conservation District Danger Daybeacons (10)					See attached drawings for position and water bottom elevation.	3ft		7ft	Temporary signs will be marine grade plywood on a timber pile or other approved support. Perm signs will be aluminum on a timber pile. Top of all piles will be +10.0'	Temporary warning signs will be removed after construction. Three permanent signs will have 2.5s white flashing light. Temp. and perm. signs will have black letters and reflective orange border.
35013.04	Lafourche-Terrebonne Soil & Water Conservation District Danger Daybeacons (11)						3ft		7ft		
35013.05	Lafourche-Terrebonne Soil & Water Conservation District Danger Daybeacons (22)						3ft		7ft		

APPROVED

8. ADDITIONAL COMMENTS

Ten lighted white and orange danger buoys will be located at the locations shown. All details necessary to convey placement, location, and details or temporary and permanent signs and buoys are shown on the attached drawings.

9a. NAME AND ADDRESS OF PERSON IN DIRECT CHARGE OF AID
USDA-NRCS
3737 Government St, Alexandria, LA

9b. TELEPHONE NO. (318) 473-7751

10a. NAME AND ADDRESS OF PERSON OR CORPORATION AT WHOSE EXPENSE
Lafourche/Terrebonne
Soil & Water Cons. Dist.
204 East Bayou Road
Thibodaux, LA 70301

10b. THE APPLICANT AGREES TO SAVE THE COAST GUARD HARMLESS WITH RESPECT TO ANY CLAIM OR CLAIMS THAT MAY RESULT ARISING FROM THE ALLEGED NEGLIGENCE OF THE MAINTENANCE OR OPERATION OF THE APPROVED AID(S).

10c. DATE: 11/29/12

10d. SIGNATURE AND TITLE OF OFFICIAL SIGNING: Jerri Geller, P.E. - Design Engineer

FOR USE BY DISTRICT COMMANDER

SERIAL NO.	CLASSIFICATION OF AIDS		
	II	RECD.	
		CHART	11355
		L. N. M.	50/12

DATE APPROVED: 12/11/12

SIGNATURE *(By direction)*: JOE W. VAWTERS, CHIEF (PRIVATE AIDS SECTION)

PREVIOUS EDITIONS ARE OBSOLETE

ORIGINAL

U.S. DEPARTMENT OF HOMELAND SECURITY
U.S. COAST GUARD
CG-2554 (Rev. 09-05)

PRIVATE AIDS TO NAVIGATION APPLICATION

(See attached instructions and copy of Code of Fed. Reg., Title 33, Chap. 1, Part 66)

Form Approved
OMB-1625-0011

NO PRIVATE AID TO NAVIGATION MAY BE AUTHORIZED UNLESS A COMPLETED APPLICATION FORM HAS BEEN RECEIVED (14 U.S.C. 83; 33 C.F.R. 66.01-5)

1. ACTION REQUESTED FOR PRIVATE AIDS TO NAVIGATION: A. [X] ESTABLISH AND MAINTAIN B. [ ] DISCONTINUE C. [ ] CHANGE D. [ ] TRANSFER OWNERSHIP

2. DATE ACTION TO START: 2/1/2013

3. AIDS WILL BE OPERATED: A. [X] THROUGHOUT THE YEAR B. [X] TEMPORARILY UNTIL _____ C. [ ] ANNUALLY _____ TO _____

4. NECESSITY FOR AID *(Continue in Block 8)*: GIWW Bank Restoration (TE-43)

5. GENERAL LOCALITY: GIWW MM 75

6. CORPS OF ENGINEERS AUTHORIZED THIS STRUCTURE OR BUOY BY: [X] PERMIT OR [ ] LETTER *(file and date)* MVN-2004-4534-CY

FOR DISTRICT COMMANDERS ONLY

7. APPLICANT WILL FILL IN APPLICABLE REMAINING COLUMNS

LIGHT LIST NUMBER OR PAGE	NAME OF AID	NO. OR LTR. (7a)	LIGHT PER. (7b)	LIGHT FLASH LGTH. (7c)	LIGHT COLOR (7d)	POSITION (7e)	DEPTH OF WATER (7f)	CANDLE POWER (7g)	HT. ABOVE WATER (7h)	STRUCTURE TYPE, COLOR, AND HEIGHT ABOVE GROUND (7i)	REMARKS *(See instructions)* (7j)
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Danger Daybeacons (4)					See attached drawings for position and water bottom elevation.	3ft		7ft	Temporary signs will be marine grade plywood on a timber pile or other approved support. Perm signs will be aluminum on a timber pile. Top of all piles will be +10.0'	Temporary warning signs will be removed after construction. Three permanent signs will have 2.5s white flashing light. Temp. and perm. signs will have black letters and reflective orange border.
UNLISTED	Temporary Danger Daybeacons (5)						3ft		7ft		
UNLISTED	Temporary Danger Daybeacons (6)						3ft		7ft		
UNLISTED	Temporary Danger Daybeacons (2)						3ft		7ft		
UNLISTED	Temporary Danger Daybeacon						3ft		7ft		

APPROVED

8. ADDITIONAL COMMENTS

Ten lighted white and orange danger buoys will be located at the locations shown. All details necessary to convey placement, location, and details or temporary and permanent signs and buoys are shown on the attached drawings.

9a. NAME AND ADDRESS OF PERSON IN DIRECT CHARGE OF AID
USDA-NRCS
3737 Government St, Alexandria, LA

9b. TELEPHONE NO. (318) 473-7751

10a. NAME AND ADDRESS OF PERSON OR CORPORATION AT WHOSE EXPENSE
Lafourche/Terrebonne Soil & Water Cons. Dist.
204 East Bayou Road
Thibodaux, LA 70301

10b. THE APPLICANT AGREES TO SAVE THE COAST GUARD HARMLESS WITH RESPECT TO ANY CLAIM OR CLAIMS THAT MAY RESULT ARISING FROM THE ALLEGED NEGLIGENCE OF THE MAINTENANCE OR OPERATION OF THE APPROVED AID(S).

10c. DATE: 11/29/12

10d. SIGNATURE AND TITLE OF OFFICIAL SIGNING: Jerin Geller, P.E. - Design Engineer

FOR USE BY DISTRICT COMMANDER

SERIAL NO.	CLASSIFICATION OF AIDS			
	II	RECD.		
		CHART	11355	
		L. N. M.	50/12	

DATE APPROVED: 12/11/12

SIGNATURE *(By direction)*

JOE W. VAWTERS, CHIEF
(PRIVATE AIDS SECTION)

PREVIOUS EDITIONS ARE OBSOLETE

ORIGINAL

U.S. DEPARTMENT OF HOMELAND SECURITY
U.S. COAST GUARD
CG-2554 (Rev. 09-05)

PRIVATE AIDS TO NAVIGATION APPLICATION

(See attached instructions and copy of Code of Fed. Reg., Title 33, Chap. 1, Part 66)

Form Approved
OMB-1625-0011

NO PRIVATE AID TO NAVIGATION MAY BE AUTHORIZED UNLESS A COMPLETED APPLICATION FORM HAS BEEN RECEIVED (14 U.S.C. 83; 33 C.F.R. 66.01-5)

1. ACTION REQUESTED FOR PRIVATE AIDS TO NAVIGATION: A. [X] ESTABLISH AND MAINTAIN B. [ ] DISCONTINUE C. [ ] CHANGE D. [ ] TRANSFER OWNERSHIP

2. DATE ACTION TO START: 2/1/2013

3. AIDS WILL BE OPERATED: A. [ ] THROUGHOUT THE YEAR B. [X] TEMPORARILY UNTIL _____ C. [ ] ANNUALLY _____ TO _____

4. NECESSITY FOR AID *(Continue in Block 8)*: GIWW Bank Restoration (TR-43)

5. GENERAL LOCALITY: GIWW MM 75

6. CORPS OF ENGINEERS AUTHORIZED THIS STRUCTURE OR BUOY BY: [X] PERMIT OR [ ] LETTER *(file and date)* MVN-2004-4534-CY

FOR DISTRICT COMMANDERS ONLY

7. APPLICANT WILL FILL IN APPLICABLE REMAINING COLUMNS

LIGHT LIST NUMBER OR PAGE	NAME OF AID	NO. OR LTR. (7a)	LIGHT PER. (7b)	LIGHT FLASH LGTH. (7c)	LIGHT COLOR (7d)	POSITION (7e)	DEPTH OF WATER (7f)	CANDLE POWER (7g)	HT. ABOVE WATER (7h)	STRUCTURE TYPE, COLOR, AND HEIGHT ABOVE GROUND (7i)	REMARKS *(See Instructions)* (7j)
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Lighted Danger Buoy					See attached drawings for position and water bottom elevation.				Temporary signs will be marine grade plywood on a timber pile or other approved support. Perm signs will be aluminum on a timber pile. Top of all piles will be +10.0'	Temporary warning signs will be removed after construction. Three permanent signs will have 2.5s white flashing light. Temp. and perm. signs will have black letters and reflective orange border.
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Lighted Danger Buoy										
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Lighted Danger Buoy										
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Lighted Danger Buoy										

APPROVED

8. ADDITIONAL COMMENTS

Ten lighted white and orange danger buoys will be located at the locations shown. All details necessary to convey placement, location, and details or temporary and permanent signs and buoys are shown on the attached drawings.

9a. NAME AND ADDRESS OF PERSON IN DIRECT CHARGE OF AID
USDA-NRCS
3737 Government St, Alexandria, LA

9b. TELEPHONE NO. (318) 473-7751

10a. NAME AND ADDRESS OF PERSON OR CORPORATION AT WHOSE EXPENSE
Lafourche/Terrebonne
Soil & Water Cons. Dist.
204 East Bayou Road
Thibodaux, LA 70301

10b. THE APPLICANT AGREES TO SAVE THE COAST GUARD HARMLESS WITH RESPECT TO ANY CLAIM OR CLAIMS THAT MAY RESULT ARISING FROM THE ALLEGED NEGLIGENCE OF THE MAINTENANCE OR OPERATION OF THE APPROVED AID(S).

10c. DATE: 11/29/12

10d. SIGNATURE AND TITLE OF OFFICIAL SIGNING: Jerri Miller, P.E. - Design Engineer

FOR USE BY DISTRICT COMMANDER

SERIAL NO.	CLASSIFICATION OF AIDS		
	I	RECD.	
		CHART	11355
		L. N. M.	50/12

DATE APPROVED: 12/11/12

SIGNATURE *(By direction)*: JOE W. VAWTERS, CHIEF (PRIVATE AIDS SECTION)

PREVIOUS EDITIONS ARE OBSOLETE

ORIGINAL

U.S. DEPARTMENT OF HOMELAND SECURITY
U.S. COAST GUARD
CG-2554 (Rev. 09-05)

PRIVATE AIDS TO NAVIGATION APPLICATION

(See attached instructions and copy of Code of Fed. Reg., Title 33, Chap. 1, Part 66)

Form Approved
OMB-1625-0011

NO PRIVATE AID TO NAVIGATION MAY BE AUTHORIZED UNLESS A COMPLETED APPLICATION FORM HAS BEEN RECEIVED (14 U.S.C. 83; 33 C.F.R. 66.01-5)

1. ACTION REQUESTED FOR PRIVATE AIDS TO NAVIGATION: A. [X] ESTABLISH AND MAINTAIN B. [ ] DISCONTINUE C. [ ] CHANGE D. [ ] TRANSFER OWNERSHIP

2. DATE ACTION TO START: 2/1/2013

3. AIDS WILL BE OPERATED: A. [ ] THROUGHOUT THE YEAR B. [X] TEMPORARILY UNTIL _____ C. [ ] ANNUALLY _____ TO _____

4. NECESSITY FOR AID *(Continue in Block 8)*: GIWW Bank Restoration (TE-43)

5. GENERAL LOCALITY: GIWW MM 75

6. CORPS OF ENGINEERS AUTHORIZED THIS STRUCTURE OR BUOY BY [X] PERMIT OR [ ] LETTER *(file and date)* MVN-2004-4534-CY

FOR DISTRICT COMMANDERS ONLY

7. APPLICANT WILL FILL IN APPLICABLE REMAINING COLUMNS

LIGHT LIST NUMBER OR PAGE	NAME OF AID	NO. OR LTR. (7a)	LIGHT PER. (7b)	LIGHT FLASH LGTH. (7c)	LIGHT COLOR (7d)	POSITION (7e)	DEPTH OF WATER (7f)	CANDLE POWER (7g)	HT. ABOVE WATER (7h)	STRUCTURE TYPE, COLOR, AND HEIGHT ABOVE GROUND (7i)	REMARKS *(See Instructions)* (7j)
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Lighted Danger Buoy					See attached drawings for position and water bottom elevation.				Temporary signs will be marine grade plywood on a timber pile or other approved support. Perm signs will be aluminum on a timber pile. Top of all piles will be +10.0'	Temporary warning signs will be removed after construction. Three permanent signs will have 2.5s white flashing light. Temp. and perm. signs will have black letters and reflective orange border.
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Lighted Danger Buoy										
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Lighted Danger Buoy										
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Lighted Danger Buoy										

APPROVED

8. ADDITIONAL COMMENTS

Ten lighted white and orange danger buoys will be located at the locations shown. All details necessary to convey placement, location, and details or temporary and permanent signs and buoys are shown on the attached drawings.

9a. NAME AND ADDRESS OF PERSON IN DIRECT CHARGE OF AID
USDA-NRCS
3737 Government St, Alexandria, LA

9b. TELEPHONE NO. (318) 473-7751

10a. NAME AND ADDRESS OF PERSON OR CORPORATION AT WHOSE EXPENSE
Lafourche/Terrebonne Soil & Water Cons. Dist.
204 East Bayou Road
Thibodaux, LA 70301

10b. THE APPLICANT AGREES TO SAVE THE COAST GUARD HARMLESS WITH RESPECT TO ANY CLAIM OR CLAIMS THAT MAY RESULT ARISING FROM THE ALLEGED NEGLIGENCE OF THE MAINTENANCE OR OPERATION OF THE APPROVED AID(S).

10c. DATE: 11/29/12

10d. SIGNATURE AND TITLE OF OFFICIAL SIGNING: Jean Geller, P.E. - Design Engineer

FOR USE BY DISTRICT COMMANDER

SERIAL NO.	CLASSIFICATION OF AIDS			
	I	RECD.		
		CHART	11355	
		L. N. M.	50/12	

DATE APPROVED: 12/11/12

SIGNATURE *(By direction)*: for

JOE W. VAWTERS, CHIEF
(PRIVATE AIDS SECTION)

PREVIOUS EDITIONS ARE OBSOLETE

ORIGINAL

U.S. DEPARTMENT OF HOMELAND SECURITY
U.S. COAST GUARD
CG-2554 (Rev. 09-05)

PRIVATE AIDS TO NAVIGATION APPLICATION

(See attached instructions and copy of Code of Fed. Reg., Title 33, Chap. 1, Part 66)

Form Approved
OMB-1625-0011

NO PRIVATE AID TO NAVIGATION MAY BE AUTHORIZED UNLESS A COMPLETED APPLICATION FORM HAS BEEN RECEIVED (14 U.S.C. 83; 33 C.F.R. 66.01-5)

1. ACTION REQUESTED FOR PRIVATE AIDS TO NAVIGATION: A. [X] ESTABLISH AND MAINTAIN B. [ ] DISCONTINUE C. [ ] CHANGE D. [ ] TRANSFER OWNERSHIP

2. DATE ACTION TO START: 2/1/2013

3. AIDS WILL BE OPERATED: A. [ ] THROUGHOUT THE YEAR B. [X] TEMPORARILY UNTIL _____ C. [ ] ANNUALLY _____ TO _____

4. NECESSITY FOR AID (Continue in Block 8): GIWW Bank Restoration (TE-43)

5. GENERAL LOCALITY: GIWW MM 75

6. CORPS OF ENGINEERS AUTHORIZED THIS STRUCTURE OR BUOY BY [X] PERMIT OR [ ] LETTER (file and date) MVN-2004-4534-CY

FOR DISTRICT COMMANDERS ONLY

7. APPLICANT WILL FILL IN APPLICABLE REMAINING COLUMNS

LIGHT LIST NUMBER OR PAGE	NAME OF AID	NO. OR LTR. (7a)	LIGHT PER. (7b)	LIGHT FLASH LGTH. (7c)	LIGHT COLOR (7d)	POSITION (7e)	DEPTH OF WATER (7f)	CANDLE POWER (7g)	HT. ABOVE WATER (7h)	STRUCTURE TYPE, COLOR, AND HEIGHT ABOVE GROUND (7i)	REMARKS (See Instructions) (7j)
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Lighted Danger Buoy					See attached drawings for position and water bottom elevation.				Temporary signs will be marine grade plywood on a timber pile or other approved support. Perm signs will be aluminum on a timber pile. Top of all piles will be +10.0'	Temporary warning signs will be removed after construction. Three permanent signs will have 2.5s white flashing light. Temp. and perm. signs will have black letters and reflective orange border.
UNLISTED	Lafourche-Terrebonne Soil & Water Conservation District Temporary Lighted Danger Buoy										

APPROVED

8. ADDITIONAL COMMENTS

Ten lighted white and orange danger buoys will be located at the locations shown. All details necessary to convey placement, location, and details or temporary and permanent signs and buoys are shown on the attached drawings.

9a. NAME AND ADDRESS OF PERSON IN DIRECT CHARGE OF AID
USDA-NRCS
3737 Government St, Alexandria, LA

9b. TELEPHONE NO. (318) 473-7751

10a. NAME AND ADDRESS OF PERSON OR CORPORATION AT WHOSE EXPENSE
Lafourche/Terrebonne Soil & Water Cons. Dist.
204 East Bayou Road
Thibodaux, LA 70301

10b. THE APPLICANT AGREES TO SAVE THE COAST GUARD HARMLESS WITH RESPECT TO ANY CLAIM OR CLAIMS THAT MAY RESULT ARISING FROM THE ALLEGED NEGLIGENCE OF THE MAINTENANCE OR OPERATION OF THE APPROVED AID(S).

10c. DATE: 11/29/12

10d. SIGNATURE AND TITLE OF OFFICIAL SIGNING: Jerri Geller, P.E. - Design Engineer

FOR USE BY DISTRICT COMMANDER

SERIAL NO.	CLASSIFICATION OF AIDS		
	I	RECD.	
		CHART	11355
		L. N. M.	50/12

DATE APPROVED: 12/11/12

SIGNATURE (By direction): JOE W. VAWTERS, CHIEF (PRIVATE AIDS SECTION)

PREVIOUS EDITIONS ARE OBSOLETE

ORIGINAL

TEMPORARY WARNING SIGNS TYPE 'A'

CHARTED POSITION

SIGN#	LATITUDE	LONGITUDE	
TS-1	29 34 21.18864	90 57 08.90505	TEMPORARY DAYBEACONS (4)
TS-2	29 34 21.23596	90 57 08.15747	
TS-3	29 34 17.51092	90 57 00.42557	
TS-4	29 34 11.18275	90 56 51.24295	
TS-5	29 34 07.35661	90 56 44.55365	TEMPORARY DAYBEACONS (5)
TS-6	29 34 04.57387	90 56 34.57606	
TS-7	29 34 03.13160	90 56 31.95485	
TS-8	29 34 00.81812	90 56 26.35842	
TS-9	29 33 59.33443	90 56 23.34446	
TS-10	29 33 56.45752	90 56 18.19956	TEMPORARY DAYBEACONS (6)
TS-11	29 33 51.27089	90 56 08.65137	
TS-12	29 33 46.15222	90 55 58.72948	
TS-13	29 33 44.52118	90 55 53.05152	
TS-14	29 33 43.32339	90 55 49.85175	
TS-15	29 33 38.42554	90 55 33.90259	
TS-16	29 33 36.72784	90 55 45.88111	TEMPORARY DAYBEACONS (2)
TS-17	29 33 35.25033	90 55 42.04360	
TS-18	29 33 39.24756	90 55 41.14906	TEMPORARY DAYBEACON

CHARTED POSITION → TS-1
CHARTED POSITION → TS-5
CHARTED POSITION → TS-10
CHARTED POSITION → TS-16

NOTE:
TEMPORARY WARNING SIGNS SHALL BE INSTALLED AT THE LOCATIONS LISTED ABOVE OR AT LOCATIONS DIRECTED BY THE COR.

PERMANENT WARNING SIGNS TYPE 'B'

SIGN#	LATITUDE	LONGITUDE	WATER DEPTH	
PS-1	29 34 16.98297	90 57 09.49864	3.4'	LL#35013 DANGER LIGHT
PS-2*	29 34 19.12987	90 57 03.03749	6.8'	
PS-3	29 34 17.69788	90 57 03.42589	5.0'	LL#35013.04 DAYBEACONS (11)
PS-4	29 34 14.75488	90 56 59.08848	3.9'	
PS-5	29 34 12.51585	90 56 55.13347	4.2'	
PS-6	29 34 09.76527	90 56 52.29028	3.5'	
PS-7	29 34 06.71945	90 56 50.04846	2.7'	
PS-8	29 34 05.93428	90 56 45.64633	4.5'	
PS-9	29 34 02.36489	90 56 43.79163	2.9'	
PS-10	29 34 00.42087	90 56 39.14494	3.1'	
PS-11	29 34 01.27641	90 56 33.95515	4.0'	
PS-12	29 34 00.10650	90 56 30.05288	3.9'	
PS-13	29 33 57.75724	90 56 25.73628	3.1'	LL#35013.03 DAYBEACONS (10)
PS-14	29 33 54.35606	90 56 23.88116	2.1'	
PS-15	29 33 55.22443	90 56 19.65391	4.8'	
PS-16	29 33 52.51329	90 56 13.54968	4.6'	
PS-17	29 33 49.16914	90 56 07.66321	4.8'	
PS-18	29 33 46.38379	90 56 03.24671	4.4'	
PS-19	29 33 44.20178	90 55 58.66933	4.8'	
PS-20*	29 33 41.56473	90 55 54.21839	5.1'	LL#35013.01 DANGER LIGHT
PS-21	29 33 37.40112	90 55 55.58257	3.0'	
PS-22	29 33 35.18292	90 55 52.13783	3.1'	
PS-23	29 33 35.61448	90 55 47.60675	3.8'	
PS-24*	29 33 34.25724	90 55 40.87484	2.5'	LL#35013.02 DANGER LIGHT

* - LIGHTED SIGNS
( ) - CHARTED POSITION

PERMANENT WARNING SIGNS TYPE 'B'

SIGN#	LATITUDE	LONGITUDE	WATER DEPTH	
PSa-1	29 34 19.16045	90 57 05.93440	5.7'	LL#35013.05 DANGER DAYBEACONS (22)
PSa-2	29 34 16.13795	90 57 01.48401	4.0'	
PSa-3	29 34 13.64042	90 56 57.14493	3.9'	
PSa-4	29 34 11.07611	90 56 53.67815	3.9'	
PSa-5	29 34 08.23829	90 56 51.46948	3.1'	
PSa-6	29 34 06.00943	90 56 47.62779	3.3'	
PSa-7	29 34 03.74405	90 56 44.83945	1.8'	
PSa-8	29 34 00.70588	90 56 41.85030	2.5'	
PSa-9	29 34 00.13510	90 56 36.32634	3.8'	
PSa-10	29 34 00.71595	90 56 31.91898	4.8'	
PSa-11	29 33 58.99113	90 56 27.84904	4.5'	
PSa-12	29 33 55.78718	90 56 25.73268	2.7'	
PSa-13	29 33 53.93307	90 56 21.48215	2.3'	
PSa-14	29 33 54.20737	90 56 17.23459	4.2'	
PSa-15	29 33 50.40652	90 56 10.89691	4.5'	
PSa-16	29 33 47.41123	90 56 05.80178	4.1'	
PSa-17	29 33 45.36650	90 56 00.78220	5.4'	
PSa-18	29 33 42.94765	90 55 56.45492	5.3'	
PSa-19	29 33 39.64916	90 55 55.84533	2.8'	
PSa-20	29 33 36.21775	90 55 53.85483	3.4'	
PSa-21	29 33 35.35422	90 55 49.99511	3.6'	
PSa-22	29 33 34.46622	90 55 44.42952	0.6'	

( ) - CHARTED POSITION

LIGHTED BUOYS (TEMPORARY)

BUOY#	LATITUDE	LONGITUDE	
B-1	29 34 22.47572	90 57 08.94549	TEMPORARY LIGHTED DANGER BUOYS
B-2	29 34 22.12673	90 57 08.08613	
B-3	29 34 05.97968	90 56 34.25389	
B-4	29 34 04.80423	90 56 31.81243	
B-5	29 34 01.87525	90 56 25.64086	
B-6	29 34 00.76939	90 56 23.31242	
B-7	29 33 46.00150	90 55 51.53953	
B-8	29 33 44.62606	90 55 48.52164	
B-9	29 33 41.51717	90 55 41.97782	
B-10	29 33 41.30672	90 55 41.15205	

APPROVED

12/11/12

JOE W. VAWTERS, CHIEF
(PRIVATE AIDS SECTION)

		Date
Designed	D. GILLEN	11/12
Drawn	D. WILMORE	11/12
Checked	J. PELTO	11/12
Approved	M. GILFORD	11/12

WARNING SIGN & BUOY LOCATIONS
SEGMENT 4
TE-43 - GIWW BANK RESTORATION
TERREBONNE PARISH, LOUISIANA

DMRCS

File No. LA306012.dwg
Drawing No. ----
11/30/12 8:42 AM
Sheet 12 of 12